

Focused on brilliant colour quality.



TASKalfa 6053ci Series





Brilliant in-house printing thanks to innovative toner technology

If you're looking to print your own high-quality material such as brochures, the new range of TASKalfa colour multifunctionals with true 1,200 x 1,200 dpi 2 bit equivalent of 4,800 x 1,200dpi print resolution are perfect for all light production tasks.

New toner technology has seriously opened up the available colour gamut portion of colour space that can be printed, meaning you get far more colours and far superior Cyan Blue and that's with averagely less toner consumption. The professional image quality you've been looking for is now at your fingertips.

And that's not all. An improver and more homogenous thinner toner coating and improved fuser mean light is more equally reflected from the printed sheet, leading to amazingly vivid and sharp results. And all this at high speed too, with colour printouts up to 55 ppm.

Taking your MFD to the next level

A wide range of paper-handling options.

For high-volume jobs, additional paper trays can increase the paper capacity of your TASKalfa device up to 7,150 sheets, meaning hours on end of non-stop printing if required. Plus you have the option of three extra document processors and three finishers. And for all your internal light-production needs, the series supports a wide range of paper sizes and formats from A6 up to SRA3 which, combined with superior image quality, can be used to print colour graphics – complete with crop marks – onto SRA3 paper, allowing the accurate trimming of full-bleed edge-to-edge A3 printouts.

1000-Sheet finisher DF-7120

Supports various formats from B5E to A3. With optional stapling and punching function.



7 bin mailbox sorter MT-730

Ideal for large departments, separates different users' output into 7 trays.

4000-Sheet finisher DF-7110/DF-7130

Particularly suited for large outputs. With optional stapling and punching function.

BF-730/BF-9100

Booklet and tri-folding unit.

DF-7110

65 sheet stapling

DF-7130

100 sheet stapling

Document processor DP-7130

Single pass document processor that scans both side of double-sided documents at the same time and can detect double-feeds.



Duplex Processor

With a capacity of 270 sheets, scans double-sided originals in one pass and double feed detection.

Card Authentication

The card authentication function not only optimally protects sensitive data, but also allows personalised use of the device.



Inner Finisher

500- sheet capacity, stapling up to 50 sheets A4 and A3 at 3 positions.

PF-7100 Paper Feeder

2 x 500 sheets, ideal for paper sizes between A6 and SRA3(320 x 450 mm).



2x 500-Sheet paper feeder PF-7100

Ideal for paper sizes between A6 and SRA3 (320 x 450 mm).



2x 1500-Sheet paper feeder PF-7110

Supports A4, B5 and letter formats.



3000-Sheet paper feeder PF-7120

Ideal for large print runs in A4.

General Specifications



TASKalfa 6053ci

Pages Per Minute:

Black – A4: 60 ppm, A3: 30 ppm (print only)
Colour – A4: 55 ppm, A3: 27 ppm (print only)

Warm Up Time: 17 Seconds or Less (Power On)

First Page Out:

Copy: 3.4 Seconds or Less Black, 4.4 Seconds or Less Colour
Print: 3.8 Seconds or Less Black, 5.1 Seconds or Less Colour

Typical Electricity Consumption (TEC):

240V: 3.08 kWh/week

Weight: 95kgs

TASKalfa 5053ci

Pages Per Minute:

Colour and Black – A4: 50 ppm, A3: 25 ppm (print only)
Warm Up Time: 17 Seconds or Less (Power On)

First Page Out:

Copy: 3.7 Seconds or Less Black, 4.8 Seconds or Less Colour
Print: 4.3 Seconds or Less Black, 5.4 Seconds or Less Colour

Typical Electricity Consumption (TEC):

240V: 2.46 kWh/week

Weight: 95kgs

TASKalfa 4053ci

Pages Per Minute:

Colour and Black – A4: 40 ppm, A3: 20 ppm (print only)
Warm Up Time: 17 Seconds or Less (Power On)

First Page Out:

Copy: 4.5 Seconds or Less Black, 5.9 Seconds or Less Colour
Print: 5.1 Seconds or Less Black, 6.5 Seconds or Less Colour

Typical Electricity Consumption (TEC):

240V: 1.90 kWh/week

Weight: 95kgs

TASKalfa 3253ci

Pages Per Minute:

Colour and Black – A4: 32 ppm, A3: 16 ppm (print only)

Warm Up Time: 18 Seconds or Less (Power On)

First Page Out:

Copy: 5.3 Seconds or Less Black, 7.0 Seconds or Less Colour
Print: 5.9 Seconds or Less Black, 7.7 Seconds or Less Colour

Typical Electricity Consumption (TEC):

240V: 1.46 kWh/week

Weight: 90kg

TASKalfa 2553ci

Pages Per Minute:

Colour and Black – A4: 25 ppm, A3: 12 ppm (print only)

Warm Up Time: 18 Seconds or Less (Power On)

First Page Out:

Copy: 6.4 Seconds or Less Black, 8.5 Seconds or Less Colour
Print: 7.0 Seconds or Less Black, 9.2 Seconds or Less Colour

Typical Electricity Consumption (TEC):

240V: 1.06 kWh/week

Weight: 90kg

TASKalfa 6003i

Pages Per Minute:

Black – A4: 60 ppm, A3: 30 ppm (print only)

Warm Up Time: 17 Seconds or Less (Power On)

First Page Out:

Copy: 3.4 Seconds or Less Black
Print: 3.8 Seconds or Less Black

Typical Electricity Consumption (TEC):

240V: 3.02 kWh/week

Weight: 83kg

TASKalfa 5003i

Pages Per Minute:

Black – A4: 50 ppm, A3: 25 ppm (print only)

Warm Up Time: 17 Seconds or Less (Power On)

First Page Out:

Copy: 3.7 Seconds or Less Black
Print: 4.3 Seconds or Less Black

Typical Electricity Consumption (TEC):

240V: 2.37 kWh/week

Weight: 83kg

Common Specifications

Basic Specifications

Configuration: Multifunctional System – Print/Scan/Copy/Optional Fax

Display: 10.1" Colour Touch Screen Control Panel

Resolution: Up to 1200 x 1200 dpi

Memory / Hard Disk Drive: 4GB RAM / 8GB SSD / 320GB HDD Standard

Duplex: Standard Stackless Duplex Supports Statement (5.5" x 8.5") to SRA3, 64 – 256gsm

Standard Output Tray: Statement – SRA3 / 500 sheets; up to 12" x 48" Banner (Single Sheet)

Job Separator Output Tray: Up to SRA3 / 100 sheets

Electrical Requirements: 220-240V, 50Hz, 7.2A

Dimensions: 602 W x 665 D x 790 H (mm)

Security Specifications

Local Authentication, Network Authentication, Encryption Communication (IPsec, HTTPS, LDAP over SSL, SMTP/POP over SSL, FTP over SSL, SNMPv3), TPM (Trusted Platform Module), Secure Boot (Firmware Authenticity Verification), Run Time Integrity Check, Data Security Kit (E) (HDD Overwrite Mode and HDD Data Encryption), Common Criteria (ISO15408 EAL2), IEEE 2600.2

Print Specifications

Standard Controller: Freescale QorIQ T1024 (Dual Core) / 1.2GHz;

Freescale QorIQ T1024 (Dual Core) / 1.0GHz for the 3253ci & 2553ci

PDLs / Emulations: PRESCRIBE, PCL6 (PCL-XL / PCL-5c), KPDLL3 (P53), XPS, OPEN XPS; Optional (UG-34): IBM ProPrinter, Line Printer, LQ-850

Print Resolution: Up to 1200 x 1200 dpi

Fonts: 136 KPDLL3, 93 PCL6, 8 Windows Vista, 1 BitMap

OS Compatibility: Windows: 7/8.1/10/Server 2008/Server 2008

R2/Server 2012/Server 2012 R2/Server 2016; Novell NetWare

3.x/4.x/5.x/6.x; Mac OS X v10.9 or later; Sun OS 4.1.x; Solaris 2.x; AIX; HP-UX (LPR)

Mobile Printing: Apple AirPrint®, Google Cloud Print™, Mopria®, KYOCERA Mobile Print

Interfaces: Standard: 10/100/1000BaseTX, Hi-Speed USB 2.0, 4 USB Host Interfaces, 2 Expansion Slots, IEEE 802.11b/g/n Wireless LAN (communication distance 98.5 feet)

Optional: 10/100/1000BaseTX (IB-50 for Dual NIC);

Optional: IEEE 802.11b/g/n (IB-51 for Wireless LAN Interface) (communication distance 328.1 feet)

Network Print and Supported Protocols: TCP/IP, NetBEUI, IPv4, IPv6, IPsec, HTTP, LPD, FTP, IPP, RawPort, LLTD, SNMP, DHCP, SMTP, POP3, DNS, SNMPv1/v2, WSD Scan/Print

Drivers: KX Driver, PCL Mini Driver, KPDLL Mini Driver, KX Driver for XPS, Network Fax Driver, TWAIN Driver, WIA Driver, PPD for MAC, PPD for Linux

Utilities: KYOCERA Net Admin, KYOCERA Net Viewer, KYOCERA Net Device Manager, PDF Direct Print, Command Center RX

Paper Supply

Standard Paper Sources: Dual 500 Sheet Trays, 150 Sheet MPT, Auto Selection / Switching

Optional Paper Sources: Dual 500 Sheet Trays (PF-7100), Dual 1,500 Sheet Trays (PF-7110); Side LCT: 3,000 Sheet Capacity Tray [(PF-7120) Requires PF-7100 or PF-7110]

Paper Capacity: Standard: 1,150 Sheets; Maximum: 7,150 Sheets

Paper Size:

Tray 1 – A6 – A4 (Statement to Legal);

Tray 2 – A6 – SRA3, Custom Size;

PF-7100: A6 – SRA3;

PF-7110, PF-7120: A4;

MPT: A6 – SRA3 (Multiple Sheets);

Up to 12" x 48" Banner (Single Sheet)

Paper Weight: Trays / MPT: 52 – 300gsm

Input Materials: Standard/Optional Trays: Plain, Bond, Recycled, Preprinted, Vellum, Colour, Pre-Punched, Thick, Thin, High Quality, Letterhead, Envelope, Custom

MPT: Plain, Bond, Recycled, Preprinted, Vellum, Colour, Pre-Punched, Thick, Thin, High Quality, Transparency (OHP film), Coated, Index Tab, Label, Letterhead, Envelope, Custom

Additional Specifications

Scan Specifications

Scan Type: Colour and Black & White Scanner

Scan Resolution: 600 dpi, 400 dpi, 300 dpi, 200 dpi, 200 x 100 dpi, 200 x 400 dpi

File Formats: TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPB Compression / High Compression PDF)

PDF Extension: Searchable PDF (OCR) Option; MS Office File (Option)

Scan Speeds (B&W/Colour, @300 dpi):

DP-7120: Simplex: 48 ipm / Duplex: 15 ipm

DP-7100: Simplex: 80 ipm / Duplex: 48 ipm

DP-7110: Simplex: 100 ipm / Duplex: 180 ipm;

Simplex: 80 ipm / Duplex: 160 ipm for the 3253ci & 2553ci

DP-7130 (with Multi-Feed Detection):

Simplex: 120 ipm / Duplex: 220 ipm;

Simplex: 100 ipm / Duplex: 180 ipm for the 3253ci & 2553ci

Connectivity / Supported Protocols:

10/100/1000BaseTX, TCP/IP, Hi-Speed USB 2.0

Scanning Functions: Scan to Folder (SMB), Scan to Email, Scan to FTP, Scan to FTP over SSL, Scan to USB, WSD Scan, TWAIN Scan, Specified Colour Removal, Border Erase, Preview

Original Size: Through DP: A6 to A3

(A6 - A3); Glass: Up to A3

Drivers: TWAIN/WIA Driver

Copy Specifications

Copy Resolution: 600 x 600 dpi

Image Mode: Text, Photo, Text/Photo, Graphic/Map

Continuous Copy: 1 - 9999 / Auto Reset to 1

Additional Features: Auto Magnification, Auto Paper Select, Auto Start, Auto Drawer Change, Interrupt Copy, Positive / Negative Reverse, Mirror Image, Rotate Copy, Border Erase, Split Copy, Electronic Sort, Margin Shift, Page Number, Form Overlay, XY Zoom, Prevent Bleed Through, Text Stamp, Bates Stamp, Blank Page Skip, Specified Colour Removal, Preview, ID Card Copy

Job Management: 1,000 Department Codes, Job Programs, Job Build, Shortcut Keys, Repeat Copy

Colour Adjustment: One Touch, Hue, Auto Exposure, Sharpness

Magnification / Zoom: Full Size, 4 Reduction, 4 Enlargement Preset Ratios, 25 - 400% in 1% Step Increments

Document Box: Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System)

Optional Fax Specifications

Fax Type: Fax System 12

Compatibility / Data Compression: G3 Fax / MMR, MR, MH, JBIG
Transmission Speed / Modem Speed: Less than 3 seconds / 33.6 Kbps

Fax Memory: Standard 170 MB

Driver: Network Fax Driver

Fax Functions: Network Fax, Duplex Transmission and Reception, Encrypted Transmission and Reception, Polling Transmission and Reception, Broadcast, Fax Server Integration, Fax Dedicated Paper Feeder

Optional Document Processors²

Type / Capacity:

DP-7120: Reversing Automatic Document Processor / 50 Sheets

DP-7100: Reversing Automatic Document Processor / 140 Sheets

DP-7110: Dual Scan Document Processor / 270 Sheets

DP-7130: Dual Scan Document Processor / 270 Sheets

Acceptable Originals: A6 - A3

Acceptable Weights:

DP-7120: Simplex: 45 - 160gsm; Duplex: 50 - 120gsm

DP-7100: Simplex: 35 - 160gsm; Duplex: 50 - 120gsm

DP-7110 & DP-7130: 35 - 220gsm; Duplex: 50 - 220gsm

Output & Finishing Options³

500 Sheet Internal Finisher DF-7100

Stack / Staple Capacity: 500 Sheets / 50 Sheets (up to 90gsm)

Paper Size: A6 - SRA3

Paper Weight: 52 - 300gsm

Edge Staple Position: 3 Positions: Front 1 Staple, Edge 1 Staple, Face 2 Staples

Optional Punch: PH-7120 2 and 4 Hole Punch Unit, Supports

A6 - SRA3; 52 - 300gsm

Dimensions(mm): 498 W x 533 D x 171 H

1,000 Sheet Finisher DF-7120⁴

Stack / Staple Capacity: Main Tray: 1,000 Sheets / 50 Sheets (up to 90gsm)

Paper Size: A6 - SRA3

Paper Weight: 52 - 300gsm

Edge Staple Position: 3 Positions: Top Left, Bottom Left, Center Bind

Optional Punch: PH-7C 2 and 4 Hole Punch Unit, Supports

A6 - SRA3; 52 - 300gsm

Dimensions(mm): 548 W x 618 D x 1,050 H

4,000 Sheet Finisher DF-7110⁴ & DF-7130^{4,5}

Stack / Staple Capacity: Main Tray (A): 4,000 Sheets; DF-7110 Sub Tray (B): 200 Sheets / 65 Sheets (90gsm) DF-7130 Sub Tray (B): 200 Sheets / 100 Sheets (up to 80gsm)

Paper Size: A6 - SRA3

Paper Weight: 52 - 300gsm

Edge Staple Position: 3 Positions: Top Left, Bottom Left, Center Bind

Optional Punch: PH-7C 2 and 4 Hole Punch Unit, Supports

A6 - SRA3; 52 - 300gsm

Dimensions:

DF-7110: 608 W x 668 D x 1,062 H (mm);

DF-7130: 749 W x 665 D x 1,110 H (mm)

Optional Booklet Folder / Tri-fold Unit:

DF-7110: BF-730 Booklet Folder supports max A3

Fold Booklet Staple: 60 - 90gsm: max 20 sheets; 91 - 105gsm: max 13 sheets; Higher than 105gsm 1 sheet;

Fold booklet no staple: 60 - 90gsm 5 sheets; 91 - 120gsm 3 sheets; 121 - 256gsm 1 sheet;

Trifold supports A4 only: 60 - 90gsm 5 sheets; 91 - 120gsm: 3 sheets; 60 - 105gsm: 1 sheet

DF-7130: BF-9100 Booklet Folder supports A4, A3

Fold Booklet Staple: 52 - 90gsm: max 20 sheets

91 - 105gsm: max 13 sheets; Higher than 105gsm: 1 sheet;

Fold Booklet No Staple: 60 - 90gsm: 5 sheets; 91 - 105gsm: 3 sheets; 106 - 256gsm: 1 sheet;

Tri-fold supports A4 only: 60 - 90gsm: 5 sheets; 91 - 105gsm: 3 sheets

Additional Options

Bridge Unit Attachment Kit (AK-7100), Banner Guide 10, Internet Fax Kit (A), IC Card Authentication Kit (B), Gigabit NIC (IB-50), Wireless LAN IEEE 802.11b/g/n (IB-51), ThinPrint (UG-33), Emulation (UG-34), Document Tray (DT-730 [B]), Scan Extension Kit (A) for Searchable PDF/OCR, Keyboard Holder 10, EFI Fiery Printing System 15 (Only available for the following models: 6053ci/5053ci/4053ci/3253ci), Numeric Keypad (NK-7130), Job Separator (JS-7100)

¹ Only available for the TASKalfa 3253ci & TASKalfa 2553ci

² Only 1 Document Processor can be installed

³ Only 1 Output Option can be installed

⁴ Requires Bridge Unit Attachment Kit (AK-7100)

⁵ Not available on the TASKalfa 3253ci & TASKalfa 2553ci



Specifications and design are subject to change without notice. For the latest on connectivity visit usa.kyoceradocumentsolutions.com. TASKalfa, PRESCRIBE, KYOCERA Net Admin, KYOCERA Net Viewer, KYOCERA Net Device Manager, PDF Direct Print, Command Center RX, and KX Driver are trademarks of The Kyocera Companies. Mac OS and AirPrint are trademarks of Apple, Inc. Google Cloud Print is a trademark of Google, Inc. Mopria is a trademark of Mopria Alliance, Inc. Windows is a trademark of Microsoft, Inc. All other trademarks are the property of their respective owners.

KYOCERA Document Solutions Australia Pty Ltd
Head Office: 6 Talavera Road, Macquarie Park, NSW 2113
©2019 KYOCERA Document Solutions Australia Pty Ltd
v041119

KYOCERA Document Solutions Partner

KYOCERA Document Solutions Australia Pty. Ltd ABN 77 003 852 444

KYOCERA Document Solutions Australia
Ph: 13 59 62
www.kyoceradocumentsolutions.com.au

KYOCERA Document Solutions New Zealand*
Ph: 0800 459 623
www.kyoceradocumentsolutions.co.nz